

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	330	(business with (objects or components)) same map\$4 and @ad < "20010618"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/19 10:12
L3	0	(business with (objects or components)) same map\$4 same (search\$4 with (database and files)) and @ad < "20010618"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/19 10:13
L4	1	(business with (objects or components)) same (search\$4 with (database and files)) and @ad < "20010618"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/19 10:14
L5	3297	(search\$4 with (database and files)) and @ad < "20010618"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/19 10:17
L6	48	(search\$4 with (database and files)) and @ad < "20010618" and (index with field with type)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/19 10:23
L7	12	(search\$4 with (database with files)) and @ad < "20010618" and (index with field with type)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/19 10:23
L8	12	(search\$4 with database with files) and @ad < "20010618" and (index with field with type)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/19 13:17
L9	4	("6643661" or "6718535").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/19 13:18
S1	0	(business with (objects or components)) with map\$4 with (result same field) and @ad < "20010618"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 13:28
S2	10	(business with (objects or components)) same map\$4 same (result same field) and @ad < "20010618"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/19 10:12

69/883598 update

S3	0	700/3.ccls. and S2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 15:22
S4	0	700/1.ccls. and S2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 15:23
S5	0	700/104.1.ccls. and S2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 15:23
S6	0	700/100.ccls. and S2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 15:24
S7	10	(business with (objects or components)) same map\$4 same (result same field) and @ad < "20010618"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 15:41
S8	0	700/100.ccls. and S7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 15:24
S9	0	700/1-100.ccls. and S7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 15:25
S10	0	700/1-206.ccls. and S7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 15:25
S11	0	700/104.1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 15:26
S12	387	700/1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 15:26

S13	0	700/1.ccls. and S7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 15:26
S14	0	700/100.ccls. and S7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 15:26
S15	0	700/1-200.ccls. and S7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 15:26